



Certificate of Conformity

Certificate No.: 1888AP0702N0250001
Equipment: PV grid-connected Inverter
阳光电源
Brand Name: SUNGROW
Test Model No.: SG8KTL-M,SG10KTL-M,SG12KTL-M,
SG15KTL-M,SG17KTL-M,SG20KTL-M
Applicant: SUNGROW Power Supply Co., Ltd.
No.1699 Xiyou Rd., New & High Technology Industrial Development Zone,
Hefei, P. R. China.
Report No.: PVFR180702N025

Use in accordance with regulations:

Automatic disconnection device with single-phase mains surveillance in accordance with DIN V VDE V 0126-1-1/A1 VFR2014 (Protection of production installations connected to the public distribution network, ERDF-NOI-RES_13E, Version 6, 11/07/2016), for photovoltaic systems with a single-phase parallel coupling via an inverter in the public mains supply. The automatic disconnection device is an integral part of the aforementioned inverter. This serves as a replacement for the disconnection device with isolating function that can access the distribution network provider at any time.

Applied rules and standards

UTE C15-712-1:2010-07, rectificatif 0:2010-09 et rectificatif 1:2012-02, UTE C15-712-1:2013-07
Photovoltaic installations connected to the public distribution network

DIN V VDE V 0126-1-1/A1:2012-02

Automatic disconnection device between a generator and the public low-voltage grid; Amendment 1.

The safety concept of an aforementioned representative product corresponds at the time of issue of this attestation to valid safety specifications for the specified use in accordance with regulations.

Name: Ted Wu
Senior Manager/ PV Inverter Team
Date: 2018-09-21

This document shall not be reproduced, except in full, without the written approval of
Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.
Information given in this document is related to the tested specimen of the described electrical sample.